

1214 Pembina Highway Winnipeg, Manitoba R3T 2A8

Phone: 204.489.2241 Email: info@gcblab.com

DateDate Required.	
Doctor:Clin	ic:
Patient:	
Ceramics Shade	$\bigcap_{\alpha} \bigcap_{\alpha} \bigcap_{\alpha$
□ Male	
THE PROPERTY OF THE PROPERTY O	
☐ Female	
	31.
Zirconia:	Removable:
☐ Full Contour Zirconia Crown	☐ Full Upper ☐ Full Lower
□ Porcelain stack to Zirconia	Tissue Shade:
□ Veneer	☐ Clear ☐ Light Pink
Implant Hybrid Ti Base w/ Zirconia	☐ Regular Pink ☐ Dark Pink
Screw Retained	Tooth Shade:
☐ Cement Retained	
☐ Angulated Screw Channel	Partial Denture:
Implant Reference:	☐ Valplast ☐ Cr Co
Implant Size	Frame work only
Brand	Set Teeth Try-in
IPS e.max:	Complete (without try-in)
Crown	Removable Extras:
□ Veneer	☐ Bite Rims ☐ Custom Trays
Porcelain Fused to Alloy:	☐ Flipper ☐ Repair
Noble Gold (Yellow)	Add Valplast Clasp
☐ Noble Gold (Tellow) ☐ Noble Semi-Precious (White)	Add Valplast Clasp
Buccal Margin and Pontic Design:	Study model
Porcelain Margin OQQQQ	Hard/Soft Mouth Gourd
	Bleaching tray
Full Cast Restoration Inlay/ Onlay:	☐ Surgical Stent
☐ 52% Gold ☐ 62% Gold (Yellow)	☐ Thermoplastic Mouth Guard
Occlusal Staining:	If no Occlusal clearance:
	Metal Island 🔲 Spot Opposing
□ Medium □ Dark □ □	Metal Occlusion   Reduction Die